Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L36	13	value with pair with attribute with set and merge with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 14:04
L47	28	value with pair with attribute with set and merge with (column or table or set or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 14:09
L49	30	value with pair with (descriptor or attribute) with set and merge with (column or table or set or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 14:11
L50	18	value with pair with (descriptor or attribute) with set and merge with (column or table or set or list) and items	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 14:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"5491819".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 17:59
S2	1	attribute and value and merge and conformance with predicate	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/01 18:49
S3	486	attribute and value and merge and predicate	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/01 18:00
S4	26	attribute and value and merge and predicate and first with attribute with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/01 18:33
S5 .	16	attribute and value and merge and predicate and first with attribute with set and second with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/01 18:13
S6	19	attribute and value and merge and "de-referencing"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/01 18:26
S7	1	attribute and value and merge and predicate and first with attribute with set and second with attribute and "de-referencing"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/01 18:13
S8	0	attribute and value and merge and predicate and first with attribute with set and second with attribute and "dereferencing"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/01 18:13
S9	. 1	attribute and value and merge and predicate and first with attribute with set and second with attribute and "de referencing"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/01 18:13
S10	2	attribute and value and merge and "de-referencing" and predicate	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/18 03:39
S11	1	attribute and value and merge with end with value and first with attribute with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/01 18:37

			_			
S12	10	first with attribute and second with attribute and attribute and value and merger with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 10:21
S13	9	first with attribute and second with attribute and attribute and value and merger with attribute and attribute with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 10:42
S14	0	"5491819".pn. and attribute and value and merge	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 12:56
S15	1	"5491819".pn. and attribute and merge	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/02/02 14:29
S16	9060	attribute and merge	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:12
S17	1057	attribute with merg\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	·ON	2006/09/16 19:13
S18	178	merg\$ with attribute with value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:14
S19	34	merg\$ with attribute with value and end with value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:15
S20	· 32	merg\$ with attribute with value and end with value and attribute with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:18
S21	. 19	merg\$ with attribute with value and end with value and attribute with set and "name" with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:22
S22	0	merg\$ with attribute with value and end with value and attribute with set and "name" with attribute and "707"/\$.ccls,	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:22
S23	15	merg\$ with attribute with value and end with value and attribute with set and "name" with attribute and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:25

_						
S24	0	merg\$ with attribute with value and end with value and attribute with set and "name" with attribute and "707"/\$.ccls. and item with to with be with merg\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:29
S25	0	merg\$ with attribute with value and end with value and attribute with set and "name" with attribute and "707"/\$.ccls. and "to-be-merg\$"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:27
S <u>.</u> 26	0	merg\$ with attribute with value and end with value and attribute with set and "name" with attribute and "to-be-merg\$"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:27
S27	0	merg\$ with attribute with value and end with value and attribute with set and "name" with attribute and "707"/\$.ccls. and item with to with be with merge	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/16 19:29
S28	19	merg\$ with attribute with value and end with value and attribute with set and name with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/18 02:16
S29	0	attribute and value and merge and "de-referencing" and predicate and "6182067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/18 03:41
S30	0	attribute and value and merge and "de-referencing" and "6182067".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/18 03:41
S31	. 0	"6182067".pn. and "de-referencing"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/09/18 03:41
S32	1287	"first attribute" and "second attribute"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 20:04
S33	290	"first attribute" and "second attribute" and "attribute set"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 20:04
S34	4	"first attribute" and "second attribute" and "attribute set" and item with merg\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 20:05

			·			
S35	4	"first attribute" and "second attribute" and "attribute set" and item with merg\$ and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 20:05
S36	0	"first and second attribute" and "attribute set" and item with merg\$ and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/11 20:05
S37	1429	item with merg\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:00
S38	5	item with merg\$ and "first attribute" and second with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:10
S39	5	item with merg\$ and "first attribute" and second with attribute and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:30
S40	0	"to be merg\$" and "first attribute" and second with attribute and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:31
S41	0	"to be" with merg\$ and "first attribute" and second with attribute and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:31
S42	0	"to be merg\$" and "attribute" and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:31
S43	0	"item to be merg\$" and "attribute" and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:33
S44	0	"item to be merged" and "attribute" and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:33
S45	1	"item-to-be-merged" and "attribute" and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:33
S46	0	"record-to-be-merged" and "attribute" and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON ·	2007/01/17 18:33

S47	,	"document-to-be-merged" and "attribute" and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:33
S48	0	"object-to-be-merged" and "attribute" and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 18:34
S49	6	"to-be-merged" and "attribute" and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON .	2007/01/17 18:47
S50	0	"to be merged" and "attribute" and value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 19:44
S51 ·	184	merg\$ with attribute with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 19:45
S52	. 33	merg\$ with "attribute set"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 19:47
S53	1	merg\$ with "attribute set" and "end value"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 20:00
S54	0	merg\$ with "attribute set" and "optional value"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 20:01
S55	1	merg\$ with "attribute set" and "placeholder value"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 20:02
S56	1	merg\$ with "attribute set" and "sum value"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 15:36
S57	79	merg\$ with (first with attribute and second with attribute)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 15:37
S58	22	merg\$ with (first with attribute and second with attribute) and attribute with pair and attribute with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 15:37

S59	0	merg\$ with (first with attribute and second with attribute) and vaslue with pair and attribute with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 15:37
S60	15	merg\$ with (first with attribute and second with attribute) and value with pair and attribute with set	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 15:37